Seguin & Axis Collection



SCUL FIREPLACE COLLECTION





## a new dimension in fireplace design

Intent on providing Australian's with a dynamic collection of designer fires, Sculpt Fireplace Collection has gathered not only Europe's best fireplace designs, but also fireplaces that have been manufactured with high quality materials that are built to last. We introduce to you our prestigious French fireplace manufacturers, Axis and Seguin. Both integrate innovation, technology, environmental impact, operational expertise and quality, whilst holding design at the forefront. Proudly hand crafted in France, these fireplaces add a new dimension to your home by creating the maximum of comfort whilst capturing the perfect place for social gatherings and special moments.

From the choice of cast-iron and steel, to the meticulous hand assembly of each firebox, Seguin Duteriez artisans perpetuate the "Duty of Quality" with a simple objective: "Make the fireplace the heart of your home".

## Advantages of Axis & Seguin




#### Handmade in France

Our exclusive Axis & Seguin fireplaces are hand made and crafted by artisan engineers in France, with Axis being ranked as the number one specialist for steel fireboxes in Europe. The traditional hand made methods provide the highest quality finish, using the most advanced technology and purest materials.



#### Use as a slow combustion or open fireplace

When selecting the lift door option, Seguin wood fireplaces can be used as either a slow combustion heater for practical purposes, with a longer fire term or an open fireplace for that ambient open fire experience.



#### Outdoor Air Intakes

An optional extra outside air connection is recommended for 6 + star rated or tightly sealed homes, where oxygen is drawn from outside and through the DAFS for combustion. This provides better efficiency and more effective combustion, thus not effecting the air quality in your home. (Excludes Seguin Multivision models).



#### DAFS (Double Airflow System)

Our Axis and Seguin fireplaces are equipped with patented DAFS technology which aims to inject oxygen at a determined level inside of the combustion chamber. The supply of new oxygen will burn gases and smoke not yet burnt, preventing them from being released into the flue system. The outcome is a longer fire term, cleaner glass, and effective combustion of fire wood. (Excludes Seguin Multivision models).



#### The Axis Difference

Axis fireboxes are made up of 60mm interlocking kiln bricks that are manually assembled and have been baked at 1350°. The patented refractory bricks ensure the accumulation, transmission and continuous release of heat over a superior period of time even after the fire has dissipated. (Excludes Axis I1000 models).



#### The Seguin Difference

To reach outstanding performance, Seguin fireplaces are manufactured with 100% pure cast iron only (excluding Hydro80 model). By using the highest quality raw materials, no warping of the firebox will ever occur and the retention of heat is also maximised due to the large fins on the outside of the firebox. It is this type of artisan engineering that allows Seguin to guarantee their fireboxes for ten years.













The artisan engineered Axis H1200 is a French panoramic steel firebox with breathtaking sentiments and an unbelievable heating performance. With it's manually assembled interlocking refractory fire bricks and DAFS (Double Air Flow System) technology, the Axis H1200 inbuilt wood fireplace has been mastered to perfection. The large glass viewing area also gives this French made wood heater a luxurious contemporary feel that is much sought-after.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit





The hand-crafted Axis H1400 is a French engineered steel firebox that is sure to add a grand statement in any home. An incredible heating performance ensures your home is kept toasty in the colder months. With it's manually assembled interlocking refractory fire bricks and DAFS (Double Air Flow System) technology, the Axis H1400 inbuilt wood fireplace encompasses engineering excellence. The generous glass viewing area also gives this French made wood heater an opulent quality that is highly prized.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention




Dual Opening System



Optional Outdoor Air Kit

## **AXIS H1600**





The handmade excellence of the Axis H1600 wood fireplace is much desired to those who seek the elegance of a panoramic wood heater combined with an unbelievable heating performance. This French made wood heater with manually assembled interlocking fire bricks will retain and radiate heat into the room even when the fire has recently dissipated. With its long glass viewing area, you'll be able to watch a dazzling performance of dancing flames.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit

## AXIS H1600XXL





#### Australia's Largest Wood Heater

The large panoramic H1600XXL takes the title for being Australia's largest inbuilt wood fireplace, with an unbelievable 1.7m glass viewing area. With flexibility to be used as an open fireplace or slow combustion wood heater, this designer statement is sure to be a focal point in any grand space. Featuring an exceptional, handmade French panoramic steel firebox with manually assembled interlocking heavy duty fire bricks that retain the heat well after the fire has dissipated.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit





The artisan engineered Axis H1200DS double sided inbuilt wood fireplace is the perfect divider between two living spaces. View a spirited display of ambient flames that dance continuously from this double sided masterpiece all winter long. A personal gallery awaits from any point in the room with the Axis H1200DS double sided inbuilt wood fireplace. The large glass viewing area also gives this French hand made wood heater a luxurious contemporary feel that is much sought-after.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit





Let the Axis H1600DS double sided wood heater make an elegant statement in any open plan space. This slow combustion wood heater discreetly emphasises the art of perfect design and mastered engineering. With its long glass viewing area, you'll be able to watch the dancing flames all winter long. A panoramic wood heater combined with an excellent performance and double sided viewing area.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention




Dual Opening System



Optional Outdoor Air Kit

## AXIS H1600XXL DS





#### Australia's Largest Double Sided Wood Heater

Being the largest double sided fireplace available in Australia, the Axis H1600XXL DS, has an unbelievable see-through 1.7m glass viewing area. With flexibility to be used as an open fireplace or slow combustion wood heater, this is true opulence with a contemporary edge all in a timeless design. The Axis H1600XXL DS features an exceptional panoramic steel firebox with manually assembled interlocking heavy duty fire bricks that retain the heat well after the fire has dissipated.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit

## AXIS H12003V





Spectacular from any angle the Axis H1200 3V three sided wood fireplace will create an unsurpassed ambience with its unique characteristics of being either an open fireplace or slow combustion heater with its unconventional glass viewing area. It's high quality three sided panoramic steel firebox and elegant glass door makes the aesthetics of the luxurious Axis H1200 3V three sided wood fireplace a real show stopper in any designer space.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Fire Brick
Heat Retention



Dual Opening System



Optional Outdoor Air Kit





The Axis H1200 VLG two sided wood fireplace, with left hand side glass viewing area, is a display of geometric versatility and artisan engineered construction and will exude mesmerizing comfort and unsurpassed design excellence from any angle. With it's playful design the Axis H1200VLG will bring a polished urban design to any space. The large glass viewing area also offers a highly sought-after luxurious contemporary feel.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Fire Brick
Heat Retention



Dual Opening System



Optional Outdoor Air Kit





The Axis H1200 VLD showcases a right hand side corner glass viewing area option. Displaying a geometric versatility and artisan engineered construction that will exude mesmerizing comfort and unsurpassed design excellence from any angle. With it's playful design the Axis H1200VLD will bring a polished urban design to any space. The large glass viewing area also offers a highly sought-after luxurious contemporary feel.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit

## AXIS EPI950





Making a distinct impression, the Axis EPI950 is a smart beauty that will appeal to any interior living space. Humbly sophisticated, the high quality three sided glass viewing area achieves to not only heat a home but also create an astute impression upon entry. All of this combined with the high end, luxury designer style and the latest efficiencies from Europe, expertly offered by the Axis range.



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



Phenomenal Fire Brick Heat Retention



Dual Opening System



Optional Outdoor Air Kit

## SEGUIN EUROPA 7 SERIES



Seguin Europa 7



Seguin Europa 7 Black Line



Seguin Europa 7 Lift



Contemporary meets classic with the Seguin Europa 7 series. These beautifully crafted pure cast iron wood fires are sure to add breath taking ambiance in any stylish home whether installed as a built-in or free standing fireplace. Hand made in France, the undeniable quality of the Seguin Europa 7 series will also aim to please aesthetically and burn effectively. The Europa 7 series comes with options of a swing door or swing & lift door mechanism.



100% Pure Cast Iron Firebox



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



10 Year Firebrick Warranty



Install Freestanding OR Inbuilt



Optional Outdoor Air Kit

## SEGUIN EUROPA 7 VL SERIES



Seguin Europa 7 VL Left Black Line



Seguin Europa 7 VL Right Black Line



Seguin Europa 7 VL Black Line Lift (Left or Right)



The Seguin Europa 7 VL series, comes with black line glass, swing and lift door mechanism and corner glass side viewing area options. These beautifully crafted pure cast iron wood fires are sure to add breath taking ambiance in any stylish home whether installed as a built-in or free standing fireplace. The undeniable quality of the Seguin Europa 7 VL series will not only burn effectively but also aim to please aesthetically regardless of its location.



100% Pure Cast Iron Firebox



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



10 Year Firebrick Warranty



Install Freestanding OR Inbuilt



Optional Outdoor Air Kit

## SEGUIN MULTIVISION 8000 SERIES



Seguin **Multivision 8000 Two Sided** 



Seguin Multivision 8000 3V Three Sided



Seguin Multivision 8000 Four Sided



The Seguin Multivision 8000 pure cast iron series comes with options like two, three and Australia's first four sided wood heater. With the various glass viewing options, it's suitable for any contemporary living space. These beautifully crafted, pure cast iron wood fires are sure to add breath taking ambiance in any stylish home whether installed as a built-in or free standing fireplace.



100% Pure Cast Iron Firebox



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



10 Year Firebrick Warranty



Install Freestanding OR Inbuilt



Available in multiple viewing areas

## SEGUIN SUPER 9 SERIES



Seguin Super 9



Seguin Super 9 Black Line Lift



Seguin Super 9 Lift



Pioneering a cast iron slow combustion wood fire to look like a modern minimalist wood heater that blends into any interior is no lack of achievement – The Seguin Super 9 series is a humble element that achieves this in any living space. Together with its patented DAFS (Double Air Flow System) and pure cast iron firebox, this series is the largest in our cast iron firebox range and accomplishes designer fireplace excellence. Available in swing door mechanism, swing & lift door mechanism, and swing & lift door mechanism with black silk screen printed glass.



100% Pure Cast Iron Firebox



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



10 Year Firebrick Warranty



Install Freestanding OR Inbuilt



Optional Outdoor Air Kit

## SEGUIN VISIO 8 PLUS SERIES



Seguin Visio 8 Black Line



Seguin Visio 8 Black Line Lift



You'll never yearn again for complete harmony in your interior space once attaining one of the Seguin Visio 8 Plus fireplaces. Made in Randan, France, and constructed with pure cast iron, these classic fire boxes come equipped with the Seguin air wash system that keeps the glass clean, you'll be wanting to stay next to your new Seguin Visio 8 all winter long. You can attain this heater in options with swing door mechanism & black line glass or with swing & lift door mechanics and black line glass.



100% Pure Cast Iron Firebox



DAFS (Double Air Flow System)



Includes Fire Grate & Ash Pan



10 Year Firebrick Warranty




Install Freestanding OR Inbuilt



Optional Outdoor Air Kit

## **AXIS** Specifications



#### Axis H1200

Material Solid steel firebox with 60mm thick firebricks

KW output 30kw

**Heating capacity** Up to 150m<sup>2</sup>-300m<sup>2</sup>\*

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 5.4m

Flue sizes 250mm, 300mm, 350mm
Includes hot air transfer kit Two ducts and two registers

Outside air kit

Recommended for well insulated homes

Warranty


10 year firebrick & 5 year firebox warranty\*\*

Weight 380kg

Legs\* Adjustable 180mm-600mm

**Hearth dimensions** min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick



#### Axis H1400

Material Solid steel firebox with 60mm thick firebricks

KW output 32.5k

**Heating capacity** Up to 180m<sup>2</sup>-320m<sup>2</sup>\*

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 5.4m

Flue sizes 300mm, 350mm, 400mm

Includes hot air transfer kit Two ducts and two registers

Outside air kit

Warranty


Recommended for well insulated homes
10 year firebrick & 5 year firebox warranty\*\*

Weight 400kg

**Legs\*** Adjustable180mm-600mm

**Hearth dimensions** min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick



#### Axis H1600

Material Solid steel firebox with 60mm thick firebricks

KW output 35kg

**Heating capacity** Up to 200m<sup>2</sup>-350m<sup>2</sup>\*

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 5.4m

Flue sizes 300mm, 350mm, 400mm

Includes hot air transfer kit Two ducts and two registers


Outside air kit
Recommended for well insulated homes
Warranty
10 year firebrick & 5 year firebox warranty\*\*

Weight 460k

**Legs\*** 180mm-600mm

**Hearth dimensions** min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick



#### Axis H1600XXL

Material Solid steel firebox with 60mm thick firebricks

KW output 40kw+

**Heating capacity** Up to 250m<sup>2</sup>-400m<sup>2</sup>\*

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 5.4m

Flue sizes 300mm, 350mm, 400mm

Includes hot air transfer kit

Outside air kit

Two ducts and two registers

Recommended for well insulated homes

Weight 530k

Legs\* Adjustable 180mm-600mm

min 500mm in front of any part of the fireplace, 250mm

10 year firebrick & 5 year firebox warranty\*\*

on either side & 75mm thick


Warranty

**Hearth dimensions** 

<sup>\*</sup> Heating capacity of the following appliances are a guide only and refers to areas with 2.4m ceilings and 6 or more star rated buildings. Heating output may vary depending on factors such as building characteristics, quality of insulation, type of firewood used and climate zone.

<sup>\*\*</sup> See warranty section in the installation manual for further details

## **AXIS** Specifications



#### Axis H1200DS

Material Solid steel firebox with 60mm thick firebricks

KW output 20kw Up to 200m2\* **Heating capacity** 

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height

250mm, 300mm, 350mm Flue sizes Includes hot air transfer kit Two ducts and two registers


Outside air kit Recommended for well insulated homes Warranty 10 year firebrick & 5 year firebox warranty\*\*

Weight 380kg

Adjustable 180mm-600mm Leas\*

min 500mm in front of any part of the fireplace, 250mm **Hearth dimensions** 

on either side & 75mm thick



#### Axis H1600DS

Solid steel firebox with 60mm thick firebricks Material

**KW** output

**Heating capacity** Up to 250m2\* Clean frame-less design (trim options available) Facade

Glass door Secure lift up and swing door

Minimum flue height

300mm, 350mm, 400mm Flue sizes Includes hot air transfer kit Two ducts and two registers


Outside air kit Recommended for well insulated homes 10 year firebrick & 5 year firebox warranty\*\* Warranty

460kg Weight

Adjustable 180mm-600mm Legs\*

min 500mm in front of any part of the fireplace, 250mm **Hearth dimensions** 

on either side & 75mm thick



#### Axis H1600XXLDS

Material Solid steel firebox with 60mm thick firebricks

**KW** output 30kw

Heating capacity Up to 300m2\*

**Facade** Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 5.4m

300mm, 350mm, 400mm Flue sizes Includes hot air transfer kit Two ducts and two registers


Outside air kit

Recommended for well insulated homes Warranty 10 year firebrick & 5 year firebox warranty\*\* Weight

Adjustable 180mm-600mm Leas\*

min 500mm in front of any part of the fireplace, **Hearth dimensions** 

250mm on either side & 75mm thick



#### Axis H1200VLD/VLG

Material Solid steel firebox with 60mm thick firebricks

**KW** output 20kw Heating capacity

Up to 200m2\*

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height

250mm, 300mm, 350mm Flue sizes

Includes hot air transfer kit Two ducts and two registers

Outside air kit Recommended for well insulated homes Warranty 10 year firebrick & 5 year firebox warranty\*\*

Weight Legs\* Adjustable 180mm-600mm

min 500mm in front of any part of the fireplace,


250mm on either side & 75mm thick


See warranty section in the installation manual for further details

**Hearth dimensions** 

Heating capacity of the following appliances are a quide only and refers to areas with 2.4m ceilings and 6 or more star rated buildings. Heating output may vary depending on factors such as building characteristics, quality of insulation, type of firewood used and climate zone.

## **AXIS** Specifications





#### Axis H12003V

Solid steel firebox with 60mm thick firebricks Material

KW output

Heating capacity Up to 200m2\*

Clean frame-less design (trim options available) **Facade** 

Glass door Secure lift up and swing door

Minimum flue height

Flue sizes 250mm, 300mm, 350mm Includes hot air transfer kit Two ducts and two registers


Outside air kit Recommended for well insulated homes Warranty 10 year firebrick & 5 year firebox warranty\*\*


Weight

Legs\* Adjustable 180mm-600mm

min 500mm in front of any part of the fireplace, 250mm **Hearth dimensions** 

on either side & 75mm thick





#### Axis EPI950

Solid steel firebox with 60mm thick firebricks Material

**KW** output

Heating capacity Up to 50m2 -200m2\*

**Facade** Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 5.4m

280mm, 330mm, 380mm Flue sizes Includes hot air transfer kit Two ducts and two registers

Outside air kit Recommended for well insulated homes Warranty 10 year firebrick & 5 year firebox warranty\*\*


Weight 330kg


Adjustable 180mm-600mm Leas\*

min 500mm in front of any part of the fireplace, 250mm **Hearth dimensions** 

on either side & 75mm thick

## **SEGUIN** specifications





#### Europa 7 Evolution Series

Material 100% pure cast iron, 8-12mm thickness

KW output

**Heating capacity** Up to 150m2 -250m2\*

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height

Flue sizes 200mm, 250mm, 300mm Includes hot air transfer kit A duct and a register

Outside air kit Recommended for well insulated homes

Warranty 10 year firebox warranty\*\*

Weight

Hearth dimensions\* min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick

\*Dimensions shown include the lift up door option, exclude these dimensions for swing door version. Hearth dimensions are for inbuilt models only. Depth of unit subject to DAFS adaptation, see installation manual for


\*\* See warranty section in the installation manual for further details.

DISCLAIMER: \*All heating capacities listed in this brochure are a guide only and refers to areas with 2.4m ceilings and 6 or more star rated buildings. Heating output may vary depending on factors such as building characteristics, quality of insulation, type of firewood used and climate zone. All dimensions shown are approximate. Check all dimensions accurately prior to installation. In line with our policy of continuous improvement, we reserve the right to alter specifications without notice.

E.&E.O Images and diagrams are for illustration purposes only. Sculpt reserves the right to change these specifications without prior notice. This information does not replace the installation manual which provides more in depth information. Must be installed in a full masonry enclosure as per Australian & New Zealand standards AS/NZS 2918:2001

<sup>\*</sup> Heating capacity of the following appliances are a guide only and refers to areas with 2.4m ceilings and 6 or more star rated buildings. Heating output may vary depending on factors such as building characteristics, quality of insulation, type of firewood used and climate zone.

## **SEGUIN Specifications**



760mm



Material 100% pure cast iron, 8-12mm thickness

KW output 17.9kw

**Heating capacity** Up to 50m<sup>2</sup> -200m<sup>2\*</sup>

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 4.6m

Flue sizes 200mm, 250mm, 300mm Includes hot air transfer kit A duct and a register

Outside air kit Recommended for well insulated homes

**Warranty** 10 year firebox warranty\*\*

Weight 170kg

**Hearth dimensions\*** min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick

\*Dimensions shown include the lift up door option, exclude these dimensions for swing door version. Hearth dimensions are for inbuilt models only. Depth of unit subject to DAFS adaptation, see installation manual for man

#### Seguin Multivision 8000 Series

Material 100% pure cast iron, 8-12mm thickness

 $\begin{array}{ll} \textbf{KW output} & 16.5 \text{kW (4 Sidede Model)} \\ \textbf{Heating capacity} & \text{Up to } 50 \text{m}^2 \text{ -} 250 \text{m}^{2*} \\ \end{array}$ 

Facade Clean frame-less design (no trim)
Glass door Secure lift up and swing door

Minimum flue height 4.6m

Flue sizes 250mm, 300mm, 350mm Includes hot air transfer kit A duct and a register

Outside air kit Recommended for well insulated homes

**Warranty** 10 year firebox warranty\*\*

Weight 230kg

**Hearth dimensions\*** min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick

\*Dimensions shown include the lift up door option, exclude these dimensions for swing door version. Hearth dimensions are for inbuilt models only. Depth of unit subject to DAFS adaptation, see installation manual for more information.

#### Seguin Super 9 Series

**Material** 100% pure cast iron, 8-12mm thickness

**KW output** 26kw

**Heating capacity** Up to 100m<sup>2</sup> -300m<sup>2\*</sup>

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 4.6m

Flue sizes 250mm, 300mm, 350mm Includes hot air transfer kit A duct and a register

Outside air kit

Recommended for well insulated homes

Warranty 10 year firebox warranty\*\*

Weight 250kg

**Hearth dimensions\*** min 500mm in front of any part of the fireplace, 250mm

on either side & 75mm thick

\*Dimensions shown include the lift up door option, exclude these dimensions for swing door version. Hearth dimensions are for inbuilt models only. Depth of unit subject to DAFS adaptation, see installation manual for more information.

#### Seguin Visio 8 Plus Series

Material 100% pure cast iron, 8-12mm thickness

KW output 27.8kw

**Heating capacity** Up to 140m<sup>2</sup> -340m<sup>2\*</sup>

Facade Clean frame-less design (trim options available)

Glass door Secure lift up and swing door

Minimum flue height 4.6m

Flue sizes 200mm, 250mm, 300mm Includes hot air transfer kit A duct and a register

Outside air kit Recommended for well insulated homes

Warranty 10 year firebox warranty\*\*


**Veiaht** 190kg


**Hearth dimensions\*** min 500mm in front of any part of the fireplace, 250mm


on either side & 75mm thick

\*Dimensions shown include the lift up door option, exclude these dimensions for swing door version. Hearth dimensions are for inbuilt models only. Depth of unit subject to DAFS adaptation, see installation manual for more information.

"Igniting inspiration with a new dimension in fireplace design is now an easy choice"










Fire has captivated the human imagination for eons, as it maintains its significance as the heart of many homes and commercial buildings across the globe.

Exceptional design coupled with refined materials, our fireplace collection showcases the perfect merging of style and function, hand-made in the heart of France for the heart of your home.







# S C L FIREPLACE COLLECTION

1300 851 304 info@sculptfireplaces.com.au www.sculptfireplaces.com.au